



SBC Ultra Marine

Acidifier

Principal Functioning Agents

Nitrogen (N)	1.5%
Sulfur (S)	2.8%
Copper (Cu)	0.15%
Iron (Fe)	0.26%
Manganese (Mn)	0.35%
Zinc (Zn)	0.8%

Derived from Hydronium acid, Nitric acid, Zinc sulfate, Copper sulfate, Manganese sulfate, Ferrous sulfate

Information regarding the contents and levels of metals in this product is available on the internet at:
<http://www.aapfco.org/metals.htm>

Labeled for use in CA

READ LABEL BEFORE USING
KEEP OUT OF THE REACH OF CHILDREN

DIRECTIONS FOR USE: APPLY AS AN ACIDIFIER AT THE RATE OF 1.5 TO 4 GALLONS PER ACRE. CONSULT YOUR SBC REPRESENTATIVE FOR PROPER RATES AND TIMINGS.

COMPATIBILITY: SBC ULTRA MARINE IS AN ACIDIFIER. USER ASSUMES SOLE RESPONSIBILITY FOR NON-PHYTOTOXIC COMPATIBILITY WITH SPECIFIC CROPS OR WITH OTHER MATERIALS WHEN SUCH USE OR HANDLING ARE CONTRARY TO LABEL INSTRUCTIONS.

NOTICE TO BUYER: SELLER MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE USE OF THIS PRODUCT OTHER THAN AS INDICATED ON THIS LABEL. BUYER ASSUMES ALL RISKS OF HANDLING THIS MATERIAL WHEN SUCH USE AND/OR HANDLING ARE CONTRARY TO LABEL INSTRUCTIONS.

CAUTION: KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, DILUTE WITH WATER AND IMMEDIATELY CONTACT MEDICAL HELP. DO NOT INHALE FUMES OR VAPORS. EYE CONTACT, FLUSH EYES WITH WATER FOR 15 MINUTES AND CONTACT PHYSICIAN IMMEDIATELY. WHEN HANDLING, WEAR IMPERVIOUS GLOVES AND GOGGLES WITH FACE SHIELD. IF SPILLED, CONTAIN AND RECLAIM FOR LATER USE. AVOID FURTHER CONTACT.

_____ Gallons / _____ Liters

Density: 9.59 pounds per gallon at 68°F

OXONIUM CORPORATION
4618 E. Lincoln Ave.
Fowler, California 93625

