

CELL POWER™

SizeN® Calcium

15-0-0

with 7% Ca + 0.2% B

GUARANTEED ANALYSIS

Total Nitrogen (N)15.00%
1.1% Ammonical Nitrogen
5.6% Nitrate Nitrogen
8.3% Urea Nitrogen

Calcium (Ca)7.00%
Boron (B)0.2%

Derived from: Urea, Ammonium Calcium Nitrate Double Salt and Boric Acid

WARNING: This product contains boron (B) and may be harmful to certain crops. Use only according to manufacturer's directions.

KEEP OUT OF REACH OF CHILDREN



WARNING

Harmful if swallowed. Causes serious eye irritation.

FOR AGRICULTURAL OR COMMERCIAL USE ONLY

GUARANTEED BY:

OMEX™ AGRIFLUIDS, INC. • PO BOX 815 • SELMA, CA 93662



DENSITY: 10.8 LBS/GALLON @ 68° F

LIQUID CONTENT 2.5 US GALLONS (9.5 L) NET WEIGHT: 27 LBS (12.3 kg)

LIQUID CONTENT 265 US GALLONS (1,003 L) NET WEIGHT: 2,862 LBS (1,298 kg)



GENERAL INFORMATION

CELL POWER SizeN™ Calcium helps increase yield and quality. Recommendations to be used with Soft fruit, Top fruit, Tomatoes, Peppers, Leafy Vegetables, Brassica, Grapes and Potatoes. It may be used in combination with water soluble plant nutritional products which are formulated for foliar, sidedress or drip irrigation application. May be applied alone or in tank mixes containing fertilizers, fungicides and/or pesticides. **CELL POWER SizeN™ Calcium** is believed to be compatible with most agricultural water-soluble plant nutritional products. If physical compatibility with another fertilizer product is unknown, use a jar compatibility test. When applying **CELLPOWER SizeN™ Calcium** blend as a foliar spray, always use a spreader penetrant.

ONCE PRODUCT IS DILUTED, USE WITHIN 24 HOURS DIRECTIONS FOR USE

All Permanent Crops: Apply ½ gallon/acre near bloom. Continue ½ gallon/acre applications every two weeks during the fruit sizing period. One application pre-bloom at ½ gallon per acre may be applied. Apply post-harvest applications of up to 2 gallons prior to true dormancy on all permanent crops.

All Strawberries, Caneberries, & Blueberries: Begin applying as early as bloom at ½ gallon/acre. Continue the applications every two weeks during the flowering/fruit setting cycles of the crop. For Blueberries which are more determinate, begin applications at fruit set and go every two weeks during the fruit sizing period.

All Field Crops and Hops: Begin application of ½ gallon/acre prior to bloom and continue for two weeks during the active growing prior of the crop.

All Vegetable Crops: Begin applications right after thinning/planting and make 2-4 total applications at ½ gallon/acre every two weeks during the most active period of the crops growth.

SOIL APPLICATION RECOMMENDATIONS

Shake well before use: Apply **CELLPOERSizeN™** Calcium to 32 gals/acre/season split into applications of 0.5-8 gal. Minimum 1-10 dilution in water. Suitable for application through all irrigation systems.

Foliar Application Rate: 0.5 gal/acre, or 1% spray solution and spray till run-off, avoid spraying during direct sunlight.

Tank Mixing: Compatible with most common pesticides and fertilizers. Always jar test before tank mixing to ensure physical compatibility. **PRECAUTIONS:** Wash thoroughly after handling. Wear eye/face protection. **If in eyes:** Rinse continuously with water for several minutes. Removed contact lenses, if easy to do. Continue rinsing. If eye irritation persists get medical advice and attention. If on skin or clothing take off contaminated clothing. Rinse skin immediately with plenty of water.

Call a Poison Control Center or doctor if you feel unwell.

STORAGE AND DISPOSAL

STORAGE: Store in original containers only. Keep containers tightly closed when not in use. Store in a cool, dry well-ventilated area, preferably in a locked storage area away from children, feed and food products, and seed. Store at ambient temperatures. Do not contaminate water, food, or feed by storage or disposal. **DISPOSAL:** Do not reuse container. Plastic: Triple rinse (or equivalent), adding rinse water to spray tank, then offer for recycling at an ACRC site (go to <http://www.acrcycle.org/> for locations) or by reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Manufactured by: Levity Crop Science Ltd., The Rural Business Centre, Myerscough College, Bilsborrow, Preston PR3 0RY, United Kingdom



GUARANTEED BY:
OMEX™ AGRIFLUIDS, INC. • PO BOX 815 • SELMA, CA 93662

Do not contaminate water, food, or feed by storage or disposal. **HANDLING:** Avoid breathing fertilizer mists. Avoid prolonged or repeated skin contact. Avoid eye contact. Wash hands thoroughly after handling this product.

For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

1-800-424-9300/ +1 703-527-3887 CCN816681.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

BEFORE BUYING OR USING THIS PRODUCT, read the entire Directions for Use and the following Conditions of Sale and Limitation of Warranty and Liability. By buying or using this product, the buyer or user accepts the following Conditions of Sale and Limitation of Warranty and Liability, which no employee or agent of OMEX™ AGRIFLUIDS, INC. or the seller is authorized to vary in any way.

Follow the Directions for Use of this product carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop or other plant injury, ineffectiveness, or other unintended consequences may result from such risks as weather or crop conditions, mixture with other chemicals not specifically identified in this product's label, or use of this product contrary to the label instructions, all of which are beyond the control of OMEX™ AGRIFLUIDS, INC. and the seller. The buyer or use of this product assumes all such inherent risks.

Subject to the foregoing inherent risks, OMEX™ AGRIFLUIDS, INC. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, when the product is used in strict accordance with such Directions for Use under normal conditions of use. EXCEPT AS WARRANTED IN THIS LABEL AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THIS PRODUCT IS SOLD "AS IS", AND OMEX™ AGRIFLUIDS, INC. MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE.

IN THE UNLIKELY EVENT THAT BUYER OR USER BELIEVES THAT OMEX™ AGRIFLUIDS, INC. HAS BREACHED A WARRANTY CONTAINED IN THIS LABEL AND TO THE EXTENT REQUIRED BY APPLICABLE LAW, BUYER OR USER MUST SEND WRITTEN NOTICE OF ITS CLAIM TO THE FOLLOWING ADDRESS: OMEX™ AGRIFLUIDS, INC., ATTENTION LAW DEPARTMENT, PO BOX 815, SELMA, CA 93662.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE BUYER'S OR USER'S EXCLUSIVE REMEDY FOR ANY INJURY, LOSS, OR DAMAGE RESULTING FROM THE HANDLING OR USE OF THIS PRODUCT, INCLUDING BUT NOT LIMITED TO CLAIMS OF BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, STRICT LIABILITY, OR OTHER TORTS, SHALL BE LIMITED TO ONE OF THE FOLLOWING: AT THE ELECTION OF OMEX™ AGRIFLUIDS, INC. OR THE SELLER: DIRECT DAMAGES NOT EXCEEDING THE PURCHASE PRICE OF THE PRODUCT OR REPLACEMENT OF THE PRODUCT TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, OMEX™ AGRIFLUIDS, INC. AND THE SELLER SHALL NOT BE LIABLE TO THE BUYER OR USER OF THIS PRODUCT FOR ANY CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES, OR DAMAGES IN THE NATURE OF A PENALTY.

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

CALIFORNIA PROPOSITION 65: WARNING: This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.html>

